

# (19) United States

## (12) Patent Application Publication (10) Pub. No.: US 2017/0033292 A1 PARK et al.

(43) **Pub. Date:** Feb. 2, 2017

(54) METHOD OF SELECTIVE SEPARATION OF SEMICONDUCTING CARBON NANOTUBES, DISPERSION OF SEMICONDUCTING CARBON NANOTUBES, AND ELECTRONIC DEVICE INCLUDING CARBON NANOTUBES

SEPARATED BY USING THE METHOD

(71) Applicants: Samsung Electronics Co., Ltd., Suwon-si (KR); The Board of Trustees of the Leland Stanford Jr. University, Palo Alto, CA (US)

(72) Inventors: Young-jun PARK, Suwon-si (KR); Jong-min KIM, Yongin-si (KR); Hang-woo LEE, Stanford, CA (US); Zhenan BAO, Stanford, CA (US)

(73) Assignees: Samsung Electronics Co., Ltd., Suwon-si (KR); The Board of Trustees of the Leland Stanford Jr. University, Palo Alto, CA (US)

(21) Appl. No.: 15/290,568

(22) Filed: Oct. 11, 2016

## Related U.S. Application Data

(62) Division of application No. 13/282,783, filed on Oct. 27, 2011, now Pat. No. 9,502,152.

Provisional application No. 61/408,805, filed on Nov. 1, 2010.

### **Publication Classification**

(51) Int. Cl. H01L 51/00 H01B 1/24

(2006.01)(2006.01)

(52) U.S. Cl.

CPC ...... H01L 51/0048 (2013.01); H01B 1/24 (2013.01); H01L 51/0036 (2013.01); H01L 51/0096 (2013.01); H01L 51/0516 (2013.01)

#### (57)ABSTRACT

According to example embodiments, a method includes dispersing carbon nanotubes in a mixed solution containing a solvent, the carbon nanotubes, and a dispersant, the carbon nanotubes including semiconducting carbon nanotubes, the dispersant comprising a polythiophene derivative including a thiophene ring and a hydrocarbon sidechain linked to the thiophene ring. The hydrocarbon sidechain includes an alkyl group containing a carbon number of 7 or greater. The hydrocarbon sidechain may be regioregularly arranged, and the semiconducting carbon nanotubes are selectively separated from the mixed solution. An electronic device includes semiconducting carbon nanotubes and the foregoing described polythiophene derivative.

